



INDIA | UAE | ESTONIA

§AcryStik

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY INFORMATION

i) Product Information:

Product Name : VURA AcryStik

Physical form : Liquid
Colour : Milky White

ii) Company Information

Manufacturer : Vura Bau-Chemie LLP

Address : 1302, 13th Floor, Elite Business Hub, Sola, Ahmedabad 380060, Gujarat, India.

Tel : +9179 4849 2890 Mail : care@vura.ae

2. HAZARDS INFORMATION

1) Particular indication of danger: On available date the product can be considered as non-toxic, non-harmful,

to man and environment non-irritating, non-corrsive and non-oxidizing.

ii) Ecological information : See section 12

3. COMPOSITION/INGREDIENT COMPONENTS

Aqueous dispersion of acrylic copolymer groups.

4. FIRST-AID MEASURES

I) Inhalation : No Applicable

ii) Skin contact : In extreme cases: Irritation remove contaminated clothing, wash skin with water

and soap.

iii) eyes contact : In extreme cases: Irritation irritate eyes with plenty of water at least 10 mins.

: Obtain medical assistance if symptoms persists

iv) Swallowing : Nausea.

 $: \ \, {\sf Clear\,mouth, nose\,and\,throat. seek\,as\,soon\,as\,medical\,assistance}.$

5. FIRE FIGHTING MEASURES

I) Fire Hazard : Product is water based and in wet from its fire hazard is low. The dried product is

 $combustible. \, Decomposition \, product \, can \, be \, toxic.$

ii) Extinguishing media : Water, power, CO,, sand and all extinguishing media are suitable.

protective clothing and self-contained breathing equipment should be

available for fireman. to prevent environmental damage, if possible collect water used to extinguish the fire in containers.

6. ACCIDENTAL RELEASE MEASURES

I) Personal protection : Wear PVC- gloves and goggle to contain spills.

Avoid repeated skin contact

ii) Environmental precautions

Cleaning/Recovery

 $: \ \ \mathsf{Prevent} \ \mathsf{the} \ \mathsf{product} \ \mathsf{contamination} \ \ \mathsf{soil} \ \mathsf{and} \ \mathsf{groundwater}. \ \mathsf{Prevent} \ \mathsf{the} \ \mathsf{Product}$

entering sewers and waterways. cfr. Section 12. Large spillages: contain and pump into containers

Small spillages: absorb on sand, earth and collect into containers for disposal.

Disposal should always comply with local, national or EEC regulations.

Cfr. section 13.





INDIA | UAE | ESTONIA

§AcryStik

MATERIAL SAFETY DATA SHEET

7. HANDLING AND STORAGE

i) Handling : Good industrial and personnel hygiene practice should be followed. no eating and

drinking in the workplace. ensure adequate ventilation.

ii) Storage : protect from frost and direct sunlight.

Drums and bottles: material is plastic or steel.

Bulk tanks: stainless steel, aluminum, plastic coated materials. Clean bulk tanks

periodically to prevent accumulation of bacteria.

iii) Specific use : Use the best available methods of handing our products whereby employees

enjoy maximum safety and whereby the environment is minimally affected.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

I) Exposure limit values : No danger in normal ambient conditions.

There are no specific limiting values for professional exposure.

There are no biological limiting values.

Users should determine the conditions for safe use of the products. cfr. Section

7 "Handling"

ii) Exposure controls : Respiratory protection : Not applicable

- Occupational exposure : Hand Protection : waterproof PVC-gloves (CE)

Controls Eye protection : goggles or safety glasses (CE)

Skin protection: Not applicable. Avoid repeated skin contact.

- Environmental exposure

: The Product must not be discharged directly into drains or waterways without

Controls Treatmen

9. PHYSICAL AND CHEMICAL PROPERTIES

I) Physical state : Liquid

ii) Color : White (milk like)
 iii) Oder : Characteristic
 iv) pH value : 8.0-10.0@ 20° C
 v) Density [kg/l@20° C] : Approx.1.02 g/ml

vi) Viscosity : 30-80 poise (Brookfield RVT SPL 4, 20 rpm) @30°C

vii) Solubility in water: Miscibleviii) Flash point [°C]: Not applicableix) Auto-ignition temperature [°C]: Not applicable

10. STABILITY AND REACTIVITY

1) Conditions to avoid : Stable under the recommended storage conditions. Cfr. section 7 "Storage"

Bacterial degradation can occur if the product is stored for an unusually long

period or is stored under unsuitable conditions.

ii) Materials to avoid
 iii) hazardous decomposition
 iii) Avoid strong acids and materials which react with water.
 iii) contains to avoid
 iii) con





INDIA | UAE | ESTONIA

AcryStik

MATERIAL SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION

On product : Low toxicity is indicated by available date.

Under normal industrial conditions, there is no indication that the product can be

considered as a health risk.

Skin contact should be avoided to prevent possible long - term or short - term

Sensitation.

12. ECOLOGICAL INFORMATION

1) Ecotoxicity : The product is miscible with water and as such could cover considerable distances

if spilled into waterways. Even a small spillage will whiten the appearance of water.

: Water for sewage treatment, that has been contaminated with small quantities of

the product, will not affect the biomass. High concentrations may be harmful to

fish and micro - organisms.

ii) Mobility : Not established.

iii) Persistence and degradability: There is only a low environmental degradation of the product.

iv) Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.

v) Other adverse effects : Unknown.

13. DISPOSAL CONSIDERATION

The product must not be discharged directly into drains or waterways without treatment.

The Polymer content can be treated by various methods: filtration, coagulating and setting etc.

All product disposal should comply with local, national or EEC regulations.

Further information can be obtained from our environment Department.

14. TRANSPORT INFORMATION

General information : Not regulated

15. REGULATORY INFORMATION

The Product has no hazard classification and There is no labeling required.

16. OTHERSINFORMATION

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as component in another product, this MSDS information may not be applicable.